


Amendments to the Claims

1-4. (Cancelled)

5. (Original) A compound of formula (Ia)



wherein:

R² is selected from hydrogen, C₁₋₈ alkyl, C₁₋₈ haloalkyl, C₃₋₇ cycloalkyl, C₆₋₁₄ aralkyl, C₂₋₆ alkenyl, C₃₋₇ cycloalkenyl, C₃₋₆ alkynyl, C₆₋₁₄ aryl, heterocycle, each of which may be optionally substituted with one or more substituents independently selected from the group consisting of C₁₋₈ alkyl, C₁₋₈ haloalkyl, C₃₋₇ cycloalkyl, C₂₋₆ alkenyl, C₃₋₇ cycloalkenyl, C₃₋₆ alkynyl, halogen, CN, NO₂, OR^a, N(R^aR^b), S(O)_mR^a, SR^a, OS(O)_mR^a, S(O)_mOR^a, OS(O)_mOR^a, N(R^a)S(O)_mR^b, S(O)_mN(R^aR^b), N(R^a)S(O)_mN(R^aR^b), OS(O)_mN(R^aR^b), N(R^a)S(O)_mOR^b, C(O)R^a, OC(O)R^a, C(O)OR^a, OC(O)OR^a, N(R^a)C(O)R^b, C(O)N(R^aR^b), N(R^a)C(O)N(R^aR^b), OC(O)N(R^aR^b), N(R^a)C(O)OR^b, C(NR^aR^b)=N(R^a), N(R^a)C(NR^aR^b)=N(R^a), C(SR^a)=N(R^b), C(OR^a)=N(R^b), N(R^a)C(SR^a)=N(R^b) and heterocycle optionally substituted with oxo or R^a;
or optionally when R² is C₅₋₇ cycloalkyl, C₆₋₁₄ aralkyl, C₅₋₇ cycloalkenyl, C₆₋₁₄ aryl or heterocycle R² may be fused to 5-7 membered carbocyclic or heterocyclic rings;

R^a and R^b are independently hydrogen, NO₂, OR^c, CN, N(R^cR^d), C(O)R^c, C(O)C(O)R^c, C(O)N(R^cR^d), C(O)C(O)N(R^cR^d), S(O)_mR^c, SR^c, S(O)_mN(R^cR^d), C₁₋₈ alkyl, C₁₋₈ haloalkyl, C₃₋₇ cycloalkyl, C₆₋₁₄ aralkyl, C₂₋₆ alkenyl, C₃₋₇ cycloalkenyl, C₃₋₆ alkynyl, C₆₋₁₄ aryl or heterocycle, each of which may be optionally substituted with one or more substituents independently

selected from the group consisting of C₁₋₈ alkyl, C₁₋₈ haloalkyl, C₃₋₇ cycloalkyl, C₆₋₁₄ aralkyl, C₂₋₆ alkenyl, C₃₋₇ cycloalkenyl, C₃₋₆ alkynyl, C₆₋₁₄ aryl, CN, NO₂, OR^c, N(R^cR^d), S(O)_mR^c, SR^c, OS(O)_mR^c, S(O)_mOR^c, OS(O)_mOR^c, N(R^c)S(O)_mR^d, S(O)_mN(R^cR^d), N(R^c)S(O)_mN(R^cR^d), OS(O)_mN(R^cR^d), N(R^c)S(O)_mOR^d, C(O)R^c, OC(O)R^c, C(O)OR^c, OC(O)OR^c, N(R^c)C(O)R^d, C(O)N(R^cR^d), N(R^c)C(O)N(R^cR^d), OC(O)N(R^cR^d), N(R^c)C(O)OR^d, C(NR^cR^d)=N(R^c), C(SR^c)=N(R^d), C(OR^c)=N(R^d) and heterocycle;

Optionally, R^a and R^b may be linked together through one or more ring carbon atoms and/or ring heteroatoms including N, O, C(R^cR^d), C(O), S(O)_m, or S to form a saturated or unsaturated 3 to 8 membered carbocyclic or heterocyclic ring;

R^c and R^d are independently hydrogen, C₁₋₈ alkyl, C₁₋₈ haloalkyl, C₃₋₇ cycloalkyl, C₆₋₁₄ aralkyl, C₂₋₆ alkenyl, C₃₋₇ cycloalkenyl, C₃₋₆ alkynyl, C₆₋₁₄ aryl or heterocycle;

Optionally, R^c and R^d may be linked together through one or more ring carbon atoms and/or ring heteroatoms including N, O, C(O) and S(O)_m, or S to form a saturated or unsaturated 3 to 8 membered carbocyclic or heterocyclic ring;

R³ is hydrogen, hydroxy, C₁₋₈ alkyl, C₁₋₈ haloalkyl, C₃₋₇ cycloalkyl, C₂₋₆ alkenyl, C₃₋₇ cycloalkenyl, C₃₋₆ alkynyl, N(R^aR^b), or heterocycle, each of which may be optionally substituted with one or more substituents independently selected from the group consisting of C₁₋₈ alkyl, C₁₋₈ haloalkyl, C₃₋₇ cycloalkyl, C₂₋₆ alkenyl, C₃₋₇ cycloalkenyl, C₃₋₆ alkynyl, halogen, oxo, CN, NO₂, OR^a, N(R^aR^b), S(O)_mR^a, SR^a, OS(O)_mR^a, S(O)_mOR^a, OS(O)_mOR^a, N(R^a)S(O)_mR^b, S(O)_mN(R^aR^b), N(R^a)S(O)_mN(R^aR^b), OS(O)_mN(R^aR^b), N(R^a)S(O)_mOR^b, C(O)R^a, OC(O)R^a, C(O)OR^a, OC(O)OR^a, N(R^a)C(O)R^b, C(O)N(R^aR^b), N(R^a)C(O)N(R^aR^b), OC(O)N(R^aR^b), N(R^a)C(O)OR^b, C(NR^a)=N(R^b), C(SR^a)=N(R^b), C(OR^a)=N(R^b), N(R^a)C(NR^aR^b)=N(R^a), N(R^a)C(SR^a)=N(R^b), N(R^a)C(OR^a)=N(R^b), and heterocycle optionally substituted by oxo or R^a;

m is 1 or 2;

or a pharmaceutically acceptable salt thereof, provided that:

when R^2 is C_{1-8} alkyl, C_{1-8} alkyl substituted with $C(O)R^a$ where R^a is C_{1-8} alkyl, or R^2 is C_{1-8} alkyl substituted with $S(O)_mR^a$ where R^a is C_{1-8} alkyl and m is 2, then R^3 cannot be C_{1-8} alkyl or C_{1-8} alkyl substituted with OR^a where R^a is C_{1-8} alkyl.

6. (Original) A compound of formula (Ia) according to claim 5 wherein:

R^2 is

- (a) hydrogen;
- (b) C_{1-8} alkyl optionally substituted with C_{3-7} cycloalkyl, OR^a , $N(R^aR^b)$, $C(O)R^a$, $C(O)N(R^aR^b)$, or heterocycle optionally substituted with oxo or R^a ; or
- (c) C_{6-14} aralkyl optionally substituted with $S(O)_mR^a$ or R^a ; wherein m is 2;

R^3 is

- (a) C_{1-8} alkyl optionally substituted with C_{1-8} alkyl, C_{3-7} cycloalkyl, OR^a , SR^a , $C(O)N(R^aR^b)$, $NR^aC(O)R^b$, or heterocycle optionally substituted with oxo or R^a ;
- (b) C_{3-7} cycloalkyl;
- (c) C_{1-8} haloalkyl;
- (d) heterocycle optionally substituted with oxo; or
- (e) $N(R^aR^b)$;

wherein R^a and R^b are independently hydrogen, OR^c , SR^c , C_{1-8} alkyl, C_{6-14} aryl or heterocycle, each of which may be optionally substituted with one or more substituents independently selected from the group consisting of C_{1-8} alkyl, C_{1-8} haloalkyl, C_{3-7} cycloalkyl, C_{6-14} aralkyl, C_{2-6} alkenyl, C_{3-7} cycloalkenyl, C_{3-6} alkynyl, C_{6-14} aryl, CN, NO_2 , OR^c , $N(R^cR^d)$, $S(O)_mR^c$, SR^c , $OS(O)_mR^c$, $S(O)_mOR^c$, $OS(O)_mOR^c$, $N(R^c)S(O)_mR^d$, $S(O)_mN(R^cR^d)$, $N(R^c)S(O)_mN(R^cR^d)$, $OS(O)_mN(R^cR^d)$, $N(R^c)S(O)_mOR^d$, $C(O)R^c$, $OC(O)R^c$, $C(O)OR^c$,

OC(O)OR^c, N(R^c)C(O)R^d, C(O)N(R^cR^d), N(R^c)C(O)N(R^cR^d), OC(O)N(R^cR^d), N(R^c)C(O)OR^d, C(NR^cR^d)=N(R^c), C(SR^c)=N(R^d), C(OR^c)=N(R^d) and heterocycle;

wherein R^c is hydrogen, C₁₋₈ alkyl, C₁₋₈ haloalkyl, C₃₋₇ cycloalkyl, C₆₋₁₄ aralkyl, C₂₋₆ alkenyl, C₃₋₇ cycloalkenyl, C₃₋₆ alkynyl, C₆₋₁₄ aryl or heterocycle;

R^c and R^d are independently hydrogen, C₁₋₈ alkyl, C₁₋₈ haloalkyl, C₃₋₇ cycloalkyl, C₆₋₁₄ aralkyl, C₂₋₆ alkenyl, C₃₋₇ cycloalkenyl, C₃₋₆ alkynyl, C₆₋₁₄ aryl or heterocycle;

or a pharmaceutically acceptable salt thereof provided that

when R² is C₁₋₈ alkyl, C₁₋₈ alkyl substituted with C(O)R^a where R^a is C₁₋₈ alkyl, then R³ cannot be C₁₋₈ alkyl or C₁₋₈ alkyl substituted with OR^a where R^a is C₁₋₈ alkyl.

7. (Original) A compound of formula (Ia) according to claim 5 wherein:

R² is

- (a) hydrogen;
- (b) C₁₋₈alkyl optionally substituted with C₃₋₇cycloalkyl, OR^a, N(R^aR^b), C(O)R^a, C(O)N(R^aR^b), or heterocycle optionally substituted with oxo or R^a; or
- (c) C₆₋₁₄aralkyl optionally substituted with S(O)_mR^a or R^a; wherein m is 2;

R³ is

- (a) C₁₋₈alkyl optionally substituted with C₁₋₈alkyl, C₃₋₇cycloalkyl, OR^a, SR^a, C(O)N(R^aR^b), NR^aC(O)R^b, or heterocycle optionally substituted with oxo or R^a;
- (b) C₃₋₇cycloalkyl;
- (c) C₁₋₈haloalkyl;
- (d) heterocycle optionally substituted with oxo; or
- (e) N(R^aR^b);

wherein R^a and R^b are independently hydrogen, NO₂, OR^c, C(O)R^c, C₁₋₈alkyl optionally substituted with OR^c, C₆₋₁₄aryl or heterocycle;

wherein R^c is hydrogen, C_{1-8} alkyl or C_{6-14} aryl;

or a pharmaceutically acceptable salt thereof provided that

when R^2 is C_{1-8} alkyl, C_{1-8} alkyl substituted with $C(O)R^a$ where R^a is C_{1-8} alkyl, then R^3 cannot be C_{1-8} alkyl or C_{1-8} alkyl substituted with OR^a where R^a is C_{1-8} alkyl.

8. (Original) A compound of formula (Ia) according to claim 5 wherein:

R^2 is

- (a) hydrogen;
- (b) C_{1-8} alkyl substituted with C_{3-7} cycloalkyl, $C(O)R^a$ wherein R^a is heterocycle, or heterocycle optionally substituted with oxo; or
- (c) C_{6-14} aralkyl optionally substituted with $S(O)_mR^a$ wherein R^a is C_{1-8} alkyl and m is 2;

R^3 is

- (a) C_{1-8} alkyl optionally substituted with C_{1-8} alkyl, C_{3-7} cycloalkyl, OR^a , SR^a , $C(O)N(R^aR^b)$, $NR^aC(O)R^b$, or heterocycle optionally substituted with oxo or R^a ; wherein R^a and R^b are independently hydrogen, NO_2 , OR^c , $C(O)R^c$, C_{1-8} alkyl optionally substituted with OR^c , C_{6-14} aryl or heterocycle;
- (b) C_{3-7} cycloalkyl;
- (c) C_{1-8} haloalkyl;
- (d) heterocycle optionally substituted with oxo; or
- (e) $N(R^aR^b)$ wherein R^a and R^b are independently hydrogen, NO_2 , OR^c , $C(O)R^c$, C_{1-8} alkyl optionally substituted with OR^c , C_{6-14} aryl or heterocycle;

wherein R^c is hydrogen, C_{1-8} alkyl or C_{6-14} aryl ;

or a pharmaceutically acceptable salt thereof.

9. (Cancelled)

10. (Currently amended) A compound of formula (Ia) according to claim 5 wherein R² is C₁₋₈alkyl optionally substituted with C(O)N(R^aR^b), wherein R^a and R^b are ~~independedtly~~ independently hydrogen or C₁₋₈alkyl and R³ is C₁₋₈alkyl optionally substituted with OR^a, wherein R^a is hydrogen or C₁₋₈alkyl, or a pharmaceutically acceptable salt thereof.

11. (Original) A compound selected from the group consisting of:

7-(4-fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-benzyl-*N*-(cyclopropylmethyl)-4-hydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-1-[4-(methylsulfonyl)benzyl]-2-oxo-*N*-(pyridin-4-ylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-*N*,4-dihydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-Cyclopropyl-7-(4-fluorobenzyl)-4-hydroxy-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-morpholin-4-ylethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-(2-morpholin-4-yl-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

4-Hydroxy-*N*-(2-methylpropyl)-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-Cycloheptyl-4-hydroxy-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-Cyclopentyl-4-hydroxy-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-Cyclobutyl-4-hydroxy-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 4-Hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 4-Hydroxy-2-oxo-*N*-(2-phenylethyl)-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 4-Hydroxy-2-oxo-*N*-(1-phenylethyl)-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
N-(Cyclohexylmethyl)-4-hydroxy-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
N-(2-Furanylmethyl)-4-hydroxy-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
N-Cyclohexyl-4-hydroxy-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 4-Hydroxy-2-oxo-7-(phenylmethyl)-*N*-(2-thienylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
N-Cyclopropyl-4-hydroxy-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
N-Cyclobutyl-7-[(4-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
N-Cyclopropyl-7-[(4-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-*N*-(2-furanylmethyl)-4-hydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-[2-(1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 (±)-7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-(tetrahydro-2-furanylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-[2-(1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-(4-pyridinylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-(2-pyridinylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-(3-pyridinylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-*N*-(hexahydro-1*H*-azepin-1-yl)-4-hydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(4-morpholinyl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(5-Fluoro-2-pyridinyl)methyl]-4-hydroxy-*N*-[3-(4-morpholinyl)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-[2-(2-pyridinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(1*H*-imidazol-4-yl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

Benzyl-*N*-cyclobutyl-4-hydroxy-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-*N*-cyclopropyl-4-hydroxy-1-[4-(methylsulfonyl)benzyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-*N*-cyclobutyl-4-hydroxy-1-[4-(methylsulfonyl)benzyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-[4-(methylsulfonyl)benzyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-*N*-(2-furylmethyl)-4-hydroxy-1-[4-(methylsulfonyl)benzyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-*N*-cyclopropyl-4-hydroxy-1-[(1-methyl-1*H*-imidazol-2-yl)methyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-[(1-methyl-1*H*-imidazol-2-yl)methyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-1-(2-morpholin-4-yl-2-oxoethyl)-2-oxo-*N*-(pyridin-4-ylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-*N*-(pyridin-4-ylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-1-(cyclopropylmethyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-*N*-cyclobutyl-1-(cyclopropylmethyl)-4-hydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide ;

7-Benzyl-*N*-cyclobutyl-4-hydroxy-1-(2-morpholin-4-ylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-1-[4-(methylsulfonyl)benzyl]-*N*-(3-morpholin-4-ylpropyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-1-[4-(methylsulfonyl)benzyl]-2-oxo-*N*-(2-pyrrolidin-1-ylethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-*N*-cyclobutyl-4-hydroxy-2-oxo-1-(1,3-thiazol-2-ylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1-(1,3-thiazol-2-ylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-1-[4-(methylsulfonyl)benzyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-1-[4-(methylsulfonyl)benzyl]-2-oxo-*N*-(pyridin-4-ylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-1-[4-(methylsulfonyl)benzyl]-2-oxo-*N*-(pyridin-3-ylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-1-[4-(methylsulfonyl)benzyl]-*N*-(2-morpholin-4-ylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-(2-Furanylmethyl)-4-hydroxy-1-[(4-nitrophenyl)methyl]-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

4-Hydroxy-*N*-[2-(methyloxy)ethyl]-1-[(4-nitrophenyl)methyl]-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-Cyclobutyl-4-hydroxy-1-[(4-nitrophenyl)methyl]-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[(4-Aminophenyl)methyl]-*N*-cyclobutyl-4-hydroxy-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

and pharmaceutically acceptable salts thereof.

12. (Original) A compound selected from the group consisting of:

7-(4-fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-Cyclopropyl-7-(4-fluorobenzyl)-4-hydroxy-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-morpholin-4-ylethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-(2-morpholin-4-yl-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

4-Hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(4-morpholinyl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(5-Fluoro-2-pyridinyl)methyl]-4-hydroxy-*N*-[3-(4-morpholinyl)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-[4-(methylsulfonyl)benzyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-[(1-methyl-1*H*-imidazol-2-yl)methyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-1-(cyclopropylmethyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1-(1,3-thiazol-2-ylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-1-[4-(methylsulfonyl)benzyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

and pharmaceutically acceptable salts thereof.

13. (Original) A compound selected from the group consisting of:

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide sodium salt;

1-[2-(Dimethylamino)-2-oxoethyl]-7-(4-fluorobenzyl)-4-hydroxy-*N*-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

Sodium 1-[2-(Dimethylamino)-2-oxoethyl]-7-(4-fluorobenzyl)-3-[(methylamino)carbonyl]-2-oxo-1,2-dihydro-1,5-naphthyridin-4-olate;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-[2-(methylamino)-2-oxoethyl]-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

Sodium 1-[2-(dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-3-({[2-(methyloxy)ethyl]amino}carbonyl)-2-oxo-1,2-dihydro-1,5-naphthyridin-4-olate;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-[(2*R*)-2-hydroxypropyl]-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

Sodium 7-[(4-fluorophenyl)methyl]-3-({[(2*R*)-2-hydroxypropyl]amino}carbonyl)-2-oxo-1-[2-(2-oxo-1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridin-4-olate;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-[(2*S*)-2-hydroxypropyl]-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-(2-Amino-2-oxoethyl)-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-(4-Fluorophenyl)-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

Sodium 1-(4-fluorophenyl)-7-[(4-fluorophenyl)methyl]-3-{{[(2-hydroxyethyl)amino]carbonyl}-2-oxo-1,2-dihydro-1,5-naphthyridin-4-olate};

N-[(2*R*)-2,3-Dihydroxypropyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-[(1-methyl-1*H*-imidazol-2-yl)methyl]-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

Sodium 7-[(4-fluorophenyl)methyl]-1-[(1-methyl-1*H*-imidazol-2-yl)methyl]-3-({[2-(methyloxy)ethyl]amino}carbonyl)-2-oxo-1,2-dihydro-1,5-naphthyridin-4-olate;

1-Ethyl-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*S*)-2-hydroxy-1-methylethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

Sodium 1-ethyl-7-[(4-fluorophenyl)methyl]-3-({[(1*S*)-2-hydroxy-1-methylethyl]amino}carbonyl)-2-oxo-1,2-dihydro-1,5-naphthyridin-4-olate; and pharmaceutically acceptable salts thereof.

14. (Original) A compound selected from the group consisting of:

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-(2-morpholin-4-yl-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-hydroxy-1-methylethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-hydroxypropyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-[2-(Ethyloxy)ethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-2-oxo-*N*-[2-(2-oxo-1-imidazolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-*N*-{2-[methyl(methylsulfonyl)amino]ethyl}-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

(±)-1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxy-1-methylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-(3-hydroxypropyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-(3-hydroxypropyl)-*N*-{2-[methyl(methylsulfonyl)amino]ethyl}-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxy-1,1-dimethylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-(3-hydroxypropyl)-*N*-{2-[(1-methylethyl)sulfonyl]ethyl}-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 1-[2-(Cyclopropylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 1-{2-[[(Dimethylamino)carbonyl](methyl)amino]ethyl}-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxy-1-methylethyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1-[2-oxo-2-(1,3-thiazolidin-3-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(3-hydroxypropyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[(2*S*)-2-hydroxypropyl]-1-[3-(methyloxy)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(3-hydroxybutyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-(4-Fluorobenzyl)-4-hydroxy-1-{2-[(2-methoxyethyl)amino]-2-oxoethyl}-*N*-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-[3-(2-oxo-1-piperidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(3-hydroxypropyl)-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*S*)-2-hydroxy-1-methylethyl]-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
and pharmaceutically acceptable salts thereof.

15. (Currently amended) A compound selected from the group consisting of
7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
N-Cyclopropyl-7-(4-fluorobenzyl)-4-hydroxy-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-morpholin-4-ylethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-(2-morpholin-4-yl-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
4-Hydroxy-*N*-[2-(methoxy)ethyl]-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(4-morpholinyl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-[(5-Fluoro-2-pyridinyl)methyl]-4-hydroxy-*N*-[3-(4-morpholinyl)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-[4-(methylsulfonyl)benzyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-[(1-methyl-1*H*-imidazol-2-yl)methyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-1-(cyclopropylmethyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1-(1,3-thiazol-2-ylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-1-[4-(methylsulfonyl)benzyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(4-morpholinyl)ethyl]-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(3-hydroxy-2,2-dimethylpropyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-{2-[(2-hydroxyethyl)oxy]ethyl}-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[2-(4-morpholinyl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-[2-(4-morpholinyl)-2-oxoethyl]-*N*-[3-(4-morpholinyl)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-*N*-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-*N*-[2-(4-morpholinyl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-*N*-[3-(4-morpholinyl)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-2-oxo-*N*-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-1-[2-(4-methyl-1-piperazinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-(2-{methyl[2-(methyloxy)ethyl]amino}-2-oxoethyl)-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 (±)-7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-hydroxy-1-methylethyl]-1-(2-{methyl[2-(methyloxy)ethyl]amino}-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 (±)-7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[(2-hydroxypropyl)-1-(2-{methyl[2-(methyloxy)ethyl]amino}-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
N-[2-(ethyloxy)ethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-1-(2-{methyl[2-(methyloxy)ethyl]amino}-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 1-[2-(Dimethylamino)-2-oxoethyl]-7-(4-fluorobenzyl)-4-hydroxy-*N*-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 and pharmaceutically acceptable salts thereof.

16. (Previously presented) A compound selected from the group consisting of
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-[2-(2-oxo-1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-1-[2-oxo-2-(1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-[2-oxo-2-(1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxybutyl)-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-[3-(methyloxy)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-1-[2-oxo-2-(1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(4-morpholinyl)ethyl]-2-oxo-1-[2-oxo-2-(1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxy-1-methylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-[2-oxo-2-(1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

(±)-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[1-methyl-2-(methyloxy)ethyl]-2-oxo-1-[2-oxo-2-(1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

(±)-7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxy-1-methylethyl)-2-oxo-1-[2-oxo-2-(1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-[2-(ethyloxy)ethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-2-oxo-1-[2-oxo-2-(1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

(±)-7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxypropyl)-2-oxo-1-[2-oxo-2-(1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-(2-Amino-2-oxoethyl)-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-hydroxy-1-methylethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-hydroxypropyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-methyl-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-(2-methylpropyl)-2-oxo-*N*-[2-(2-oxo-1-imidazolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-(Cyclopropylmethyl)-7-[(4-fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxy-1-methylethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(3-morpholin-4-ylpropyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-[2-(Ethyloxy)ethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

(±)-7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[1-methyl-2-(methyloxy)ethyl]-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

(±)-7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxy-1-methylethyl)-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-[3-(1-pyrrolidinylsulfonyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-methyl-2-oxo-1-[2-oxo-2-(1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

(±)-7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[1-methyl-2-(methyloxy)ethyl]-2-oxo-1-[2-oxo-2-(1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxypropyl)-2-oxo-1-[2-oxo-2-(1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-[2-(Ethyloxy)ethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-2-oxo-1-[2-oxo-2-(1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-(4-pyridinylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(1,1-Dioxidotetrahydro-2*H*-1,2-thiazin-2-yl)ethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

(±)-7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxy-1-methylethyl)-2-oxo-1-[2-oxo-2-(1-pyrrolidiny)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-(4-fluorobenzyl)-4-hydroxy-*N*-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-*N*-[2-(ethyloxy)ethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(diethylamino)-2-oxoethyl]-7-(4-fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(3-hydroxy-2,2-dimethylpropyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(3-hydroxypropyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-{2-[(2-hydroxyethyl)oxy]ethyl}-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-2-oxo-*N*-[2-(2-oxo-1-imidazolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxy-1,1-dimethylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-(2,3-dihydroxypropyl)-7-[(4-fluorophenyl)methyl]-4-hydroxy-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-[2-(acetyl amino)ethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-*N*-{2-[methyl(methylsulfonyl)amino]ethyl}-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-(2-pyridinylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-{2-[(1-methylethyl)oxy]ethyl}-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(2,4-Difluorophenyl)methyl]-1-[2-(dimethylamino)-2-oxoethyl]-4-hydroxy-N-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-[(2S)-2-hydroxypropyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 (±)-1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxy-1-methylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 N-{2-[(dimethylamino)sulfonyl]ethyl}-7-[(4-fluorophenyl)methyl]-4-hydroxy-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-(4-Fluorobenzyl)-4-hydroxy-N-[(1S)-2-hydroxy-1-methylethyl]-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-(4-Fluorobenzyl)-4-hydroxy-N-[(1R)-2-hydroxy-1-methylethyl]-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 N-[2-(Acetylamino)ethyl]-1-ethyl-7-[(4-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-[(1R)-2-hydroxy-1-methylethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 1-ethyl-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxy-1-methylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxyethyl)-1-(3-hydroxypropyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-fluorophenyl)methyl]-4-hydroxy-N-{2-[methyl(methylsulfonyl)amino]ethyl}-1-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-(3-hydroxypropyl)-N-{2-[methyl(methylsulfonyl)amino]ethyl}-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-[1-(hydroxymethyl)cyclopentyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxy-1,1-dimethylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxy-1-methylethyl)-1-(3-hydroxypropyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-(3-hydroxypropyl)-N-{2-[(1-methylethyl)sulfonyl]ethyl}-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-(3-hydroxypropyl)-N-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxypropyl)-1-(3-hydroxypropyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-(1*H*-imidazol-4-ylmethyl)-N-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-N-[(2*S*)-2-hydroxypropyl]-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-N-[(2*R*)-2-hydroxypropyl]-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-N-(3-methoxypropyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-N-(3-hydroxypropyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-{2-[Acetyl(methyl)amino]ethyl}-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-[2-(methylamino)-2-oxoethyl]-N-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Cyclopropylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Cyclopropylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Cyclopropylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-{2-[[[(Dimethylamino)carbonyl](methyl)amino]ethyl]}-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[3-(2,5-dioxo-1-pyrrolidinyl)propyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-[2-(acetylamino)ethyl]-1-butyl-7-[(4-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(acetylamino)ethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(acetylamino)ethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxy-1,1-dimethylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-[(2*R*)-2,3-Dihydroxypropyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-(2-{{[(dimethylamino)carbonyl]amino}ethyl})-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-(2-{{[(dimethylamino)carbonyl]amino}ethyl})-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxy-1-methylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-(2-{{[(dimethylamino)carbonyl]amino}ethyl})-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-[1-(hydroxymethyl)-2-methylpropyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-(2-{{[(dimethylamino)carbonyl]amino}ethyl})-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-[1-methyl-2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-(2-{{[(dimethylamino)carbonyl]amino}ethyl})-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxy-1,1-dimethylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(3,4-Difluorophenyl)methyl]-1-[2-(dimethylamino)-2-oxoethyl]-4-hydroxy-N-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(3,4-difluorophenyl)methyl]-1-[2-(dimethylamino)-2-oxoethyl]-4-hydroxy-N-[(2*S*)-2-hydroxypropyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-methyl-2-oxo-1-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

methyl {2-[7-[(4-fluorophenyl)methyl]-4-hydroxy-2-oxo-3-({[3-(2-oxo-1-pyrrolidinyl)propyl]amino}carbonyl)-1,5-naphthyridin-1(2*H*)-yl]ethyl} carbamate;

N-[(2*S*)-2,3-Dihydroxypropyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-2-oxo-1-[2-(2-oxo-1-pyrrolidinyl)ethyl]-*N*-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-{1-[(methyloxy)methyl]propyl}-2-oxo-1-[2-(2-oxo-1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[1-(hydroxymethyl)-2-methylpropyl]-2-oxo-1-[2-(2-oxo-1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[1-(hydroxymethyl)butyl]-2-oxo-1-[2-(2-oxo-1-pyrrolidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-{2-[acetyl(methyl)amino]ethyl}-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxy-1-methylethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-Ethyl-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*S*)-2-hydroxy-1-methylethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[(2*S*)-2-hydroxypropyl]-1-(3-hydroxypropyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-Ethyl-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*R*)-2-hydroxy-1-methylethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxy-1-methylethyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxypropyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-[1-methyl-2-(methyloxy)ethyl]-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-N-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-(4-hydroxybutyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-N-methyl-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-N-(2-methoxyethyl)-2-oxo-1-{2-oxo-2-[(2,2,2-trifluoroethyl)amino]ethyl}-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-N-(2-methoxyethyl)-2-oxo-1-(2-oxo-2-thiomorpholin-4-ylethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-N-(2-methoxyethyl)-2-oxo-1-[2-oxo-2-(1,3-thiazolidin-3-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-{2-[Ethyl(methyl)amino]-2-oxoethyl}-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-{2-[methyl(methyloxy)amino]-2-oxoethyl}-N-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-N-[(2*R*)-2-hydroxypropyl]-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-N-(3-hydroxypropyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxybutyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*R*)-1-(hydroxymethyl)-3-methylbutyl]-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[(2*S*)-2-hydroxypropyl]-1-[3-(methyloxy)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[(1*R*)-2-hydroxy-1-methylethyl]-1-[3-(methyloxy)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[(1*S*)-2-hydroxy-1-methylethyl]-1-[3-(methyloxy)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-{2-[Acetyl(methyl)amino]ethyl}-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(2*R*)-2-hydroxypropyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-{2-[Acetyl(methyl)amino]ethyl}-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*S*)-2-hydroxy-1-methylethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(3-hydroxybutyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-{2-[Acetyl(methyl)amino]ethyl}-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(3-hydroxy-2-methylpropyl)-2-oxo-1-[2-(2-oxo-1-piperidinyl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-methyl-1-[2-(methylamino)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-methyl-2-oxo-1-{2-oxo-2-[(2,2,2-trifluoroethyl)amino]ethyl}-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-1-[2-(isopropylamino)-2-oxoethyl]-*N*-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-methyl-1-{2-[(methyloxy)amino]-2-oxoethyl}-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-1-{2-[(2-methoxyethyl)amino]-2-oxoethyl}-*N*-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-{2-[Acetyl(methyl)amino]ethyl}-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*R*)-2-hydroxy-1-methylethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-Cyclopropyl-*N*-[(2*R*)-2,3-dihydroxypropyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Ethylamino)-2-oxoethyl]-7-(4-fluorobenzyl)-4-hydroxy-*N*-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(*tert*-Butylamino)-2-oxoethyl]-7-(4-fluorobenzyl)-4-hydroxy-*N*-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-[3-(2-oxo-1-piperidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-methyl-2-oxo-1-[3-(2-oxo-1-piperidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*R*)-2-hydroxy-1-methylethyl]-2-oxo-1-[3-(2-oxo-1-piperidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*S*)-2-hydroxy-1-methylethyl]-2-oxo-1-[3-(2-oxo-1-piperidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-{2-[(Cyclopropylmethyl)amino]-2-oxoethyl}-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-1-(2-{[2-(methyloxy)ethyl]amino}-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-[4-(methyloxy)phenyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Ethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(2*S*)-2-hydroxypropyl]-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(3-hydroxypropyl)-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(2*R*)-2-hydroxypropyl]-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(3-hydroxybutyl)-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*S*)-2-hydroxy-1-methylethyl]-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-methyl-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*R*)-2-hydroxy-1-methylethyl]-2-oxo-1-[3-(2-oxohexahydro-1*H*-azepin-1-yl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

and pharmaceutically acceptable salts thereof.

17. (Previously presented) A compound selected from the group consisting of

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-(2-morpholin-4-yl-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(4-morpholinyl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(5-Fluoro-2-pyridinyl)methyl]-4-hydroxy-*N*-[3-(4-morpholinyl)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-[2-(methoxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-N-[2-(4-morpholinyl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-[2-(4-morpholinyl)-2-oxoethyl]-N-[3-(4-morpholinyl)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxyethyl)-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-N-[2-(4-morpholinyl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 1-[2-(Dimethylamino)-2-oxoethyl]-7-(4-fluorobenzyl)-4-hydroxy-N-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
 and pharmaceutically acceptable salts thereof.

18. (Original) A compound selected from 7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide; 1-[2-(Dimethylamino)-2-oxoethyl]-7-(4-fluorobenzyl)-4-hydroxy-N-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide; and pharmaceutically acceptable salts thereof.

19. (Currently amended) A compound according claim 4 wherein the pharmaceutically acceptable salt is a sodium salt.

20. (Withdrawn-currently amended) A method of treatment of a viral infection in a human comprising administering to said human an antiviral effective amount of a compound according to claim 4.

21. (Withdrawn) A method according to claim 20 wherein the viral infection is a HIV infection.

22-24. (Cancelled)

25. (Currently amended) A pharmaceutical composition comprising an effective amount of a compound according to claim 1 5 together with a pharmaceutically acceptable carrier.

26. (Original) A pharmaceutical composition according to claim 25 in the form of a tablet or capsule.

27. (Original) A pharmaceutical composition according to claim 25 in the form of a liquid or suspension.

28. (Withdrawn-currently amended) A method of treatment of a viral infection in a human comprising administering to said human a composition comprising a compound according to claim 1 5 and another therapeutic agent.

29. (Withdrawn) The method according to claim 28 wherein the viral infection is an HIV infection.

30-32. (Cancelled)

33. (Previously presented) 7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide or a pharmaceutically acceptable salt thereof.

34. (Previously presented) 7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide sodium salt.

35. (Withdrawn) A method of treatment of an HIV infection in a human comprising administering to said human an antiviral effective amount of 7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide or a pharmaceutically acceptable salt thereof.

36. (Previously presented) A pharmaceutical composition comprising an effective amount of 7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide, or a pharmaceutically acceptable salt thereof, together with a pharmaceutically acceptable carrier.

37. (Previously presented) A pharmaceutical composition according to claim 36 in the form of a tablet or capsule.

38. (Previously presented) A pharmaceutical composition according to claim 36 in the form of a liquid or suspension.

39. (Withdrawn) A method of treatment of an HIV infection in a human comprising administering to said human a composition comprising 7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide, or a pharmaceutically acceptable salt thereof, and another therapeutic agent.

40. (Withdrawn) A pharmaceutical composition according to claim 36 wherein said composition comprises at least one additional therapeutic agent.